

**BEDROOM WINDOW EGRESS  
HEIGHT AND WIDTH REQUIREMENTS (in inches)  
TO MEET THE 5.7 SQ. FT. OPENING REQUIREMENT**

Width:	20	20.5	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5
Height:	41	40	39	38	37	36.5	35.5	35	34	33.5	33	32	31.5	31	30.5	30
Total Sq. Ft. Opening=	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7

Width:	28	28.5	29	29.5	30	30.5	31	31.5	32	32.5	33	33.5	34
Height:	29.5	29	28.5	28	27.5	27	26.5	26	25.5	25.2	25	24.5	24
Total Sq. Ft. Opening=	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7	5.7

For example, to achieve a 5'7" Sq. Ft. Opening:

If you have a window with an "open" width of 24", then the minimum "open" height would have to be 34"

**OR,**

If you have a window with an "open" height of 34", then the minimum "open" width would have to be 24"



**BEDROOM WINDOW EGRESS  
HEIGHT AND WIDTH REQUIREMENTS (in inches)  
TO MEET THE 5.0 SQ. FT. OPENING REQUIREMENT**

Width:	20	20.5	21	21.5	22	22.5	23	23.5	24	24.5	25	25.5	26	26.5	27	27.5
Height:	36	35	34	33.5	33	32	31	30.5	30	29.5	29	28.5	27.5	27	26.5	26
Total Sq. Ft. Opening=	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0

Width:	28	28.5	29	29.5	30
Height:	25.5	25.5	25	24.5	24
Total Sq. Ft. Opening=	5.0	5.0	5.0	5.0	5.0

For example, to achieve a 5'0" Sq. Ft. Opening:

If you have a window with an "open" width of 20", then the minimum "open" height would be 36"

**OR,**

If you have a window with an "open" height of 36", then the minimum "open" width would be 20"